

IN THE SPECIFICATION:

Kindly amend the paragraph found at page 10, lines 3-4 as follows:

(c): octadecyl 3-(3',5'-di-t-butyl-4'-hydroxy-phenyl)propionate ~~octadecyl 3-(3',5'-~~
~~di-t-butyl-4'-hydroxy-phenyl)propionate~~

Kindly amend the paragraph found at page 10, lines 6-7 as follows:

(e): cyclic neopentetetrayl bis(octadecyl phosphite) ~~cyclic neopentetetrayl~~
~~bis(octadecyl phosphite)~~

Kindly amend Table 1 found at page 10, lines 12-14 as follows:

Table 1

Example	Material	Weight Ratio
1	(a)	-
2	(a)/(d)	1:1
3	(a)/(b)	1:1
4	(a)/(d)/(b)	<u>2:1:1</u> 1:1
5	(a)/(e)	1:1
6	(a)/(c)	<u>1:1</u> 2:1:1
7	(a)/(c)/(e)	2:1:1
Comparative Example	Material	Ratio
1	(c)/(d)	1:4
2	(b)/(d)	1:2
3	(c)/(e)	1:2

Kindly amend Table 5 found at page 13 as follows:

Table 5 (PP polymer)

Example	b value, prior to extrusion	b value, after		
		first extrusion	third extrusion	fifth extrusion
blank	-0.75	-0.11	1.22	2.54
8	-1.82	-1.68	-1.05	-0.91
9	-1.85	-1.72	-1.34	-1.07
10	-1.90	-1.82	-1.68	-1.52
11	-1.80	-1.70	-1.08	-0.92
12	-1.78	-1.70	-1.12	-0.95
13	-1.80	-1.71	-1.15	-0.97
Comparative Example	b value, prior to extrusion	first extrusion	third extrusion	fifth extrusion
<u>4</u> [2]	-1.52	-1.02	-0.31	0.25
<u>5</u> [2]	-1.60	-1.19	-0.76	-0.27

Kindly amend Table 6 found at page 13 as follows:

Table 6 (PP polymer)

Example	MI value, prior to extrusion	MI value, after		
		first extrusion	third extrusion	fifth extrusion
blank	4.5	5.1	6.2	8.3
8	3.2	3.3	3.6	4.0
9	3.0	3.1	3.2	3.4
10	3.0	3.1	3.1	3.2
11	3.1	3.2	3.4	3.8
12	3.1	3.2	3.4	3.7
13	3.0	3.2	3.5	3.7
Comparative Example	<u>MI</u> [b] value, prior to extrusion	first extrusion	third extrusion	fifth extrusion
<u>4</u> [2]	4.2	4.8	5.8	6.5
<u>5</u> [2]	4.2	4.6	5.3	5.6

Kindly amend Table 7 found at page 13 as follows:

Table 7 (PE polymer)

Example	b value, prior to extrusion	b value, after		
		first extrusion	third extrusion	fifth extrusion
blank	-0.85	1.05	3.85	4.2
14	-2.32	-2.25	-1.66	-0.87 -1.0.87
15	-2.13	-2.21	-1.86	-1.07
16	-2.25	-2.22	-2.02	-1.68
17	-2.26	-2.21	-1.75	-1.00
18	-2.18	-2.20	-1.76	-1.02
19	-2.24	-2.21	-1.8	-1.05
Comparative Example	b value, prior to extrusion	first extrusion	third extrusion	fifth extrusion
6	-1.29	-1.03	-0.4	-0.2
7	-1.51	-0.87	0.77	1.66
8	-1.81	-1.69	-0.96	-0.78
9	-2.48	-2.12	-1.02	-0.02